

Instruction Manual














IMPORTANT:

Please read this manual carefully before use. Please retain this manual for future reference and troubleshooting.




Parts




1 Installing adjustable feet

Thread an adjustable foot (Part G) through each hole at the bottom of Part A. Repeat for the second Part A frame. You should now have four adjustable feet installed in total.



2 Inserting uprights into rails



Lay both rails (Part B) flat on the floor, with the roller slot facing inward. Take one upright frame (Part A) and slide it into the rails just past the first mounting hole. Then, slide in the second Part A from the opposite side, so that both uprights are inside the rails.



3 Securing structure with brackets


Image 1: Use four Part H brackets and the accompanying nuts and bolts to secure the uprights (Part A) to the rails (Part B) as shown in the diagram.

Image 2: Once all brackets are tightened, carefully lift the assembly upright. The adjustable feet (Part G) should now rest on the floor.




4 Position and fix closet into place

Move the unit into your closet space and align the front of the rail (Part B) with the back edge of the header (see diagram). **Ensure there is minimum 4ft depth from the front of the rail to the back wall.** Once aligned, secure the unit to the wall using appropriate mounting screws (not included).



5 Add end caps to rear end rails

Cap off the back ends of both top and bottom rails (Part B) using two end caps (Part I) and the supplied barrel nuts and screws. Start by pressing the end cap into the rail, making sure the holes are aligned. Then insert the barrel nut and screw through either side and tighten.



6 Attaching rollers to shelving units

Image 1: Take a roller (Part J) and loosely thread a nut onto it. Slide the roller through the rail (Part B). Tighten the nut just enough to prevent the roller from scraping the rail finish.





Image 2: Place both shelving units (Part E) flat on the floor, side by side. Start by inserting one wheel (Part F) into each unit.

Image 3: To install the bottom rollers, align the cross rail (Part C) with the lower holes of both shelving units. Insert a roller (Part J) through each side, making sure the spacer bushing goes on the outer face of the shelving frame, followed by a nut on the inside. Tighten to secure.

Image 4: For the top rollers, align the top holes of the shelving units with the holes in Part D. This time, the spacer bushing sits on the inside face of the frame. Insert the washer and roller from the outside face, then loosely insert the nut on the inside. Repeat the same process on both sides.




7 Insert shelving unit


Image 1: Lift the assembled shelving unit upright and carefully slide it into the rail opening.

Image 2: Once it's fully inside and aligned, tighten the nut in the top roller assembly to lock it in place.

1




2



8 Close rail ends


Once the shelving unit is fully inside the frame, cap off the front ends of the top and bottom rails using the two remaining end caps (Part I), screws, and barrel nuts.



9 Fitting shelf and rods

Image 1: Fasten the top shelf onto the unit by aligning the screw holes with the uprights (Part A).

Image 2: Then place the shelf rods in your desired positions using the provided slots.



10 Final check

Test your newly assembled Expanding Closet by swinging the shelving units out. If they feel unstable or don't move smoothly, ensure that the wheels are rolling freely and all four adjustable feet are in firm contact with the floor. Adjust the feet as needed for stability.

